

Product Name: AG3500

24-Hour Emergency Assistance

Chem Tel: 1-800-255-3924

Health 1

Fire 1

Reactivity 0

Hazard Rating Least = 0 Slight = 1
 Moderate = 2 High = 3 Extreme = 4

General Assistance

Tele-Tech: 405-495-8848

Section I

Product: AG3500, AG3500 Xtra-Strength, AG3500 Concentrate

Chemical Name: Mixture

Chemical Family: Acrylic Copolymer

SECTION II-A Product / Ingredient

No.	Composition	CAS	Number Percent
1	water	7732-18-5	10-60%

The remaining components are trade secrets.

SECTION II-B Acute Toxicity Data

No.	Acute Oral LD50	Acute Dermal LD50	Acute Inhalation LC50
1	not established	not established	not established

SECTION III Health Information

The health effects noted below are consistent with requirements under the OSHA Hazard Communication Standard (29 CFR 1910-1200).

Eye Contact: This product is a mild eye irritant.

Skin Contact: Not a skin irritant.

Inhalation: Excessive inhalation of vapors may cause nasal and respiratory irritation.

Ingestion: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Signs and Symptoms:

Aggravated Medical Conditions: Unknown. May aggravate respiratory, eye and dermal conditions.

Other Health Effects: Unknown

SECTION IV Occupational Exposure Limits

No.	OSHA		ACGIH	Other
	PEL/TWA	PEL/Ceiling	TLV/TWA	TLV/STEL
1	none established	none established	none established	none established

SECTION V Emergency and First Aid Procedures

Eye Contact: Flush eyes with water for at least 15 minutes while holding eyelids apart. If easy to do, remove contact lenses. Seek medical attention if irritation develops.

Skin Contact: Remove contaminated clothing and wash exposed area with soap and water.

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Ingestion: Keep person warm and quiet and get medical attention. Induce vomiting as directed by medical personnel.

SECTION VI Supplemental Health Information

Contact a Poison Control Center for additional treatment information.

SECTION VII Physical Data

Boiling Point (°F):	>200°C	Specific Gravity (H2O = 1):	1.06 (25°C)
Vapor Pressure (mm Hg @ 20°C):	At 25°C, 17		
Solubility (In Water):	Complete		
Vapor Density (Air = 1):	Not established		
Evaporation Rate (ethyl-ether = 1):	0.38		
Appearance and Odor:	Off white liquid, slight ammonia odor		

SECTION VIII Fire and Explosion Hazards

Flash Point and Method:	>100°C (TCC)
Flammable Limits /% Volume in Air:	Not established
Extinguishing Media:	CO ₂ , dry powder, chemical foam
Special Fire Fighting Procedures and Precautions:	Self-contained breathing apparatus (NIOSH/MSHA or equivalent) and full protective clothing
Unusual Fire and Explosion Hazards:	CO ₂ , CO, dense smoke, irritating vapors

SECTION IX Reactivity

Stability:	Stable
Hazardous Polymerization:	Stable
Conditions and Materials to Avoid:	High temperatures over 70°C, freezing temperatures and open flame.
Hazardous Decomposition Products:	CO ₂ , CO, dense smoke, irritating vapors.

SECTION X Employee Protection

Respiratory Protection:	Use in appropriately ventilated area
Protective Clothing:	Gloves and appropriate outer clothing

SECTION XI Environmental Protection

Spill or Leak Procedures:	
Highway or rail spill:	Call CHEMTREC: 1-800-424-9300.
Small spill procedure:	Eliminate all ignition sources. Recover spilled material and specify container for reuse, recycling or disposal.

SECTION XII Special Precautions

Keep container tightly closed when not in use. Practice good caution and personal cleanliness to avoid skin and eye contact. Store in a cool, dry place with adequate ventilation. Keep away from open flames and high temperatures.

SECTION XIII Transportation Requirements

Department of Transportation Classification:	
Hazard Class:	Not required
Packing Group:	Not required
Identification Number:	Not listed
Label Required:	Not required
D.O.T. Proper Shipping Name:	Not required

SECTION XIV Other Regulatory Controls

Not meant to be all-inclusive. Selected regulations presented.

- A. SARA Title III Section 311/312 hazards:** Immediate (eye irritant)
B. SARA Title III Section 313: Not subject to reporting
C. WHMIS Classification: Residual component(s) are below the concentration threshold listed of the ingredient disclosure list.
D. TSCA Status: Listed on the TSCA chemical inventory
E. OSHA Hazard Comm. Std.: See section IIA

SECTION XV State Regulatory Information

CA = California Haz. Subst. List
CA65 = California Safe Drinking Water and Toxics Enforcement Act List
CT = Connecticut Tox. Subst. List
FL = Florida Subst. List
IL = Illinois Tox. Subst. List
LA = Louisiana Haz. Subst. List
MA = Massachusetts Subst. List
ME = Maine Haz. Subst. List
MN = Minnesota Haz. Subst. List
NJ = New Jersey Haz. Subst. List
PA = Pennsylvania Haz. Subst. List
RI = Rhode Island Haz. Subst. List.

SECTION XVI Special Notes

The information contained herein is based on the data available to us and is believed to be correct. However, Superior Surface Solutions, Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Superior Surface Solutions, Inc. assumes no responsibility for injury from the use of the product described herein.

Date Prepared: March 25, 2012
Prepared By: Superior Surface Solutions, Inc.
2000 Broadway
Kansas City, MO 64108