

MATERIAL SAFETY DATA SHEET

SECTION I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: Slurry Destroyer

Chemical Family: Liquid Concrete Remover


Formula: Proprietary **Manufacturer** GOLZ USA.

2101 W Broadway #164 Columbia, Missouri 65203

(573) 445-2683

Emergency contact: CHEMTREC - 1-800-424-9300

(For use only in the event of emergencies involving a spill, leak, fire, exposure, or accident involving chemicals)



Health Hazard	Fire Hazard: (Flash Point)	Reactivity	Specific Hazard	
0 - Normal Material	0 - Will Not Burn	0 - Stable	Oxidizer	OXY
1 — Slightly Hazardous	1 - Above 200°F	1 - Unstable if Heated	Acid	ACID
2 - Hazardous	2 - Below 200°F	2 - Violent Chemical Change	Alkali	ALK
3 - Extreme Danger	3 - Below 100°F	3 - Shock and Heat May Detonate	Corrosive	COR
4 - Deadly	4 - Below 73°F	4 - Explosive		

SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS PERCENT: THRESHOLD LIMIT VALUE:

(Values expressed as time-weighted average of airborne

concentration)

Organic Salts 15 – 30% NE

2-Butoxyethanol 1-3% OSHA Pel 25 ppm (Skin) ACGIH TLV 25 ppm (Skin)

This product is not manufactured from any materials classified as hazardous by current OSHA criteria.

Copyright 2012 Superior Surface Solutions. All rights reserved.

MATERIAL SAFETY DATA SHEET (cont)

SECTION III - PHYSICAL PROPERTY DATA

Boiling Point: 212° **Specific Gravity (Water = 1):** 1.06 **Vapor Pressure:** N/D **VOC Content:** N/D Vapor Density (Air = 1): N/D **Evaporation Rate (Water = 1):** 1.0 Soluble **Solubility in Water:** pH: 0.2 - 1.2

Appearance and Odor: Clear, dark, yellowish liquid; pleasant citrus odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash point (method used): N/AFlammable Limits: N/A

Extinguishing Media: Water spray, carbon dioxide, dry chemical

Special Fire Fighting Procedures: Cool fire exposed containers with water fog. Firefighters should be equipped with full

protective gear including self-contained breathing apparatus.

Unusual Fire and Explosion Hazards: Hydrogen gas may be released upon contact with certain metals at sustained

temperatures above 140°F.

SECTION V - HEALTH HAZARD DATA

Effects of overexposure

On skin: Irritation, with prolonged or repeated exposure. Non-corrosive to skin.

Eyes: May be painful and irritating. **Inhalation:** Irritation to the respiratory tract. **Ingestion:** May be harmful if ingested.

EMERGENCY FIRST AID PROCEDURES

In eyes: flush eyes and under eyelids with plenty of cool water for at least 15 minutes. Obtain

medical attention.

On skin: wash with soap and water. Remove contaminated clothing and lauder separately before

reuse.

Inhalation: remove person to fresh air. If breathing has stopped administer artificial respiration. If

breathing is difficult, give oxygen. Obtain medical attention.

Ingestion: contact physician or poison control center immediately. Give affected person 3 to 4

glasses of water to dilute. Do not induce vomiting. Never give anything by mouth to an

unconscious person.

SECTION VI - PERSONAL PROTECTION INFORMATION

Respiratory Protection:use with adequate ventilation. Do not breathe vapors or mists.Ventilation:Local exhaust is normally adequate. Mechanical is not required.Protective Gloves:Chemical resistant rubber or neoprene gloves are recommended.

Eye Protection: Chemical splash goggles or face shield is recommended. **Other Protective Equipment:** Safety shower and eye wash station, protective clothing.

SECTION VII - REACTIVITY DATA

Stability Data: Stable

Incompatibility: Strong oxidizers and alkalies, chloriates, nitrates.

Hazardous Decomposition Products: Thermal decomposition may produce oxides of carbon, nitrogen and chlorine.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Excess heat and open flame



MATERIAL SAFETY DATA SHEET (cont)

SECTION VIII - SPILL OR LEAK PROCEDURES

Steps to be taken in case

material is released or spilled: Under normal use, rinse with copious amounts of water, For large spills the spilled

chemical should be absorbed with an inert material. Flush cleaned area thoroughly with

water.

Waste disposal method: Dispose of in accordance with all Federal, State and Local pollution control regulations.

SECTION IX - SPECIAL PRECAUTIONS

Precautions To Be Taken In

Handling and Storage: Store in a cool, dry place, away from alkaline products. Keep container tightly closed

when not in use.

Other Precautions: Keep out of reach of children.

SECTION X - SHIPPING INFORMATION

Proper Shipping Name: General Cleaning Liquid

D.O.T. Classification: Non-Regulated

D.O.T. Placard: None

Precautions To Be Taken in

Transportation: Keep container tightly closed.

SECTION XI – ADDITIONAL INFORMATION

OTHER ADDITONAL INFORMATION: No information available at this time.

The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.

SECTION 313 SUPPLIER NOTIFICATION

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

CAS # Chemical Name: Percent by Weight:

(CAS# 111-76-2) 2-Butoxyethanol 3.0

This information must be included in all Material Safety Data Sheets that are copied and distributed for this material.